

**Distributed BY**

**JustCatering.Com Ltd**

10 Jessop Avenue, Norwood Green, Middlesex, UB2 5UY, UK

Tel +44 (0)8450034271 Mobile: 07929291670

E-mail: [sales@justcatering.com](mailto:sales@justcatering.com) Web: <http://www.justcatering.com>

# Mistral






Lockable doors are included as standard on all Mistral bottle coolers.



Mistral is the perfect showcase for bottled and canned drinks in restaurants, bars, pubs and clubs, giving you stylish, high capacity, high visibility storage and display options.



**M60** stainless



**M60** silver



**M60** black



With their sleek, dynamic design, Mistral bottle coolers are the perfect chilled display solution for all types of contemporary and traditional bars.







Mistral bottle coolers combine elegant styling, robust construction and innovative design features, ensuring maximum operating life, easy cleaning and quick and simple servicing.



The Mistral range of bottle coolers is equipped as standard with an electronic temperature controller with automatic defrost ensuring precise monitoring and control of internal temperature.




**M90** stainless



**M135** stainless



The easily adjustable shelving layout provides high product visibility. Wine shelf options are available for all Mistral models.



Energy efficient forced air cooling ensures that drinks are kept at the perfect serving temperature at all times.



Dimensions	W (mm)	D (mm)	H (mm)
M60	600	500	900
M90	900	500	900
M90 Sliding Door	900	520	900
M135	1350	500	900
TC60	600	500	1850



A solid door option is available on all models (excluding TC60). The M90 model is also available with sliding doors.



**TC60** stainless



Available in single, double and triple door versions, the high quality Mistral range is supplied in a choice of stainless steel, painted silver or black finishes.

Distributed BY

**JustCatering.Com Ltd**

10 Jessop Avenue, Norwood Green, Middlesex, UB2 5UY, UK

Tel +44 (0)8450034271 Mobile: 07929291670

E-mail: [sales@justcatering.com](mailto:sales@justcatering.com) Web: <http://www.justcatering.com>

# Mistral



*Technical Information  
Mistral Bottle coolers*

**imc**





## overview

Mistral bottle coolers are available in single, double or triple door versions, with a choice of stainless steel, painted silver or black mild steel cabinets, with the interior finish in each case being polished stainless steel. Adjustable shelving and lockable doors are standard.

Features include energy efficient forced air cooling for rapid pull-down times, whilst robust construction ensures long term reliability and low operating costs.

### Standard models:

- M60 single hinged door
- M90 double hinged doors
- M90 double sliding doors
- M135 triple hinged doors
- TC60 tall single hinged door

### Options:

- Solid doors - available at no extra cost (excluding TC60)
- Two pin plug - for use in mainland Europe
- Wine shelves - for safe storage of wine bottles
- Left and right hand door opening for M60 and TC60
- Voltage options:
  - 230v / 50hz
  - 220v / 60hz
  - 115v / 60hz

## product conformity

Mistral bottle coolers are manufactured in accordance with the following European Directives:

Machinery Directive (2006/42/EC)

Low Voltage Directive (2006/95/EC)

Electromagnetic Compatibility Directive (2004/108/EC)


Pressure Equipment Directive (97/23/EC)

And in accordance with the following harmonised European Standards:

EN61000-6-3 : 2001 Emissions and EN61000-6-1 : 2001 Immunity (plus product specific standards)

BS EN 60335-1 and BS EN 60335-24


# Mistral M60



Storage Capacity	
330ml Bottles	135
Operating Temperature	
Internal Operating Temperature	(°C) +4(+/-2)
Ambient Temperature	+10 to +32
Shipping Specifications	
Weight (kg) (Net)	51
Weight (kg) (Gross)	56
Packing Size (mm) (h x w x d)	1060 x 660 x 580
Packing Volume (m³)	0.40
Electrical Information	
Voltage (Volts)	230      220      115
Frequency (Hz)	50      60      60
Phase	single
Current Draw (Amps)	1.73
Maximum Dimensions	
Height (mm)	763
Width (mm)	536
Depth (mm)	381

	Part No.	Description	Wine Shelf	220V - 1 Phase - 60Hz	115V - 1 Phase - 60Hz
M60 Glass Door - Right Hand Opening	F77/110BS	M60 - Black Paint Finish	VS 437	VS 361	VS 442
	F77/110SLS	M60 - Silver Paint Finish	VS 437	VS 361	VS 442
	F77/110SS	M60 - Stainless Steel	VS 437	VS 361	VS 442
M60 Glass Door - Left Hand Opening	F77/111BS	M60 - Black Paint Finish	VS 437	VS 361	VS 442
	F77/111SLS	M60 - Silver Paint Finish	VS 437	VS 361	VS 442
	F77/111SS	M60 - Stainless Steel	VS 437	VS 361	VS 442
M60 Solid Door - Right Hand Opening	F77/112BS	M60 - Black Paint Finish	VS 437	VS 361	VS 442
	F77/112SLS	M60 - Silver Paint Finish	VS 437	VS 361	VS 442
	F77/112SS	M60 - Stainless Steel	VS 437	VS 361	VS 442
M60 Solid Door - Left Hand Opening	F77/113BS	M60 - Black Paint Finish	VS 437	VS 361	VS 442
	F77/113SLS	M60 - Silver Paint Finish	VS 437	VS 361	VS 442
	F77/113SS	M60 - Stainless Steel	VS 437	VS 361	VS 442
M60 Glass Door - Right Hand Opening door - EU Plug	F77/110BS EU	M60 - Black Paint Finish	VS 437	VS 361	VS 442
	F77/110SLS EU	M60 - Silver Paint Finish	VS 437	VS 361	VS 442
	F77/110SS EU	M60 - Stainless Steel	VS 437	VS 361	VS 442
M60 Glass Door - Left Hand Opening door - EU Plug	F77/111BS EU	M60 - Black Paint Finish	VS 437	VS 361	VS 442
	F77/111SLS EU	M60 - Silver Paint Finish	VS 437	VS 361	VS 442
	F77/111SS EU	M60 - Stainless Steel	VS 437	VS 361	VS 442
M60 Solid Door - Right Hand Opening door - EU Plug	F77/112BS EU	M60 - Black Paint Finish	VS 437	VS 361	VS 442
	F77/112SLS EU	M60 - Silver Paint Finish	VS 437	VS 361	VS 442
	F77/112SS EU	M60 - Stainless Steel	VS 437	VS 361	VS 442
M60 Solid Door - Left Hand Opening door - EU Plug	F77/113BS EU	M60 - Black Paint Finish	VS 437	VS 361	VS 442
	F77/113SLS EU	M60 - Silver Paint Finish	VS 437	VS 361	VS 442
	F77/113SS EU	M60 - Stainless Steel	VS 437	VS 361	VS 442

# Mistral M90




Storage Capacity	
330ml Bottles	204
Operating Temperature	
Internal Operating Temperature	(°C) +4(+/-2)
Ambient Temperature	+10 to +32
Shipping Specifications	
Weight (kg) (Net)	73.5
Weight (kg) (Gross)	79
Packing Size (mm) (h x w x d)	1060 x 960 x 580
Packing Volume (m³)	0.59
Electrical Information	
Voltage (Volts)	230      220      115
Frequency (Hz)	50      60      60
Phase	single
Current Draw (Amps)	1.94
Maximum Dimensions	
Height (mm)	763
Width (mm)	836
Depth (mm)	381

	Part No.	Description	Wine Shelf	220V - 1 Phase - 60Hz	115V - 1 Phase - 60Hz
M90 Glass Door	F77/230BS	M90 - Black Paint Finish	VS 438	VS 362	VS 443
	F77/230SLS	M90 - Silver Paint Finish	VS 438	VS 362	VS 443
	F77/230SS	M90 - Stainless Steel	VS 438	VS 362	VS 443
M90 Glass Door - EU Plug	F77/230BS EU	M90 - Black Paint Finish	VS 438	VS 362	VS 443
	F77/230SLS EU	M90 - Silver Paint Finish	VS 438	VS 362	VS 443
	F77/230SS EU	M90 - Stainless Steel	VS 438	VS 362	VS 443
M90 Solid Door	F77/231BS	M90 - Black Paint Finish	VS 438	VS 362	VS 443
	F77/231SLS	M90 - Silver Paint Finish	VS 438	VS 362	VS 443
	F77/231SS	M90 - Stainless Steel	VS 438	VS 362	VS 443
M90 Solid Door - EU Plug	F77/231BS EU	M90 - Black Paint Finish	VS 438	VS 362	VS 443
	F77/231SLS EU	M90 - Silver Paint Finish	VS 438	VS 362	VS 443
	F77/231SS EU	M90 - Stainless Steel	VS 438	VS 362	VS 443




# Mistral M90SD



Storage Capacity	
330ml Bottles	207
Operating Temperature	
Internal Operating Temperature	(°C)+4(+/-2)
Ambient Temperature	+10 to +32
Shipping Specifications	
Weight (kg) (Net)	82
Weight (kg) (Gross)	92
Packing Size (mm) (h x w x d)	1060 x 960 x 580
Packing Volume (m <sup>3</sup> )	0.59
Electrical Information	
Voltage (Volts)	230 220
Frequency (Hz)	50 60
Phase	single
Current Draw (Amps)	2.61
Maximum Dimensions	
Height (mm)	740
Width (mm)	810
Depth (mm)	390

	Part No.	Description	Wine Shelf	220V - 1 Phase - 60Hz
M90 Sliding Glass Door	F77/440BS	M90 SD - Black Paint Finish	VS 438	VS 221
	F77/440SLS	M90 SD - Silver Paint Finish	VS 438	VS 221
	F77/440SS	M90 SD - Stainless Steel	VS 438	VS 221
M90 Sliding Glass Door - EU Plug	F77/440BS EU	M90 SD - Black Paint Finish	VS 438	VS 221
	F77/440SLS EU	M90 SD - Silver Paint Finish	VS 438	VS 221
	F77/440SS EU	M90 SD - Stainless Steel	VS 438	VS 221
M90 Sliding Solid Door	F77/442BS	M90 SD - Black Paint Finish	VS 438	VS 221
	F77/442SLS	M90 SD - Silver Paint Finish	VS 438	VS 221
	F77/442SS	M90 SD - Stainless Steel	VS 438	VS 221
M90 Sliding Solid Door - EU Plug	F77/442BS EU	M90 SD - Black Paint Finish	VS 438	VS 221
	F77/442SLS EU	M90 SD - Silver Paint Finish	VS 438	VS 221
	F77/442SS EU	M90 SD - Stainless Steel	VS 438	VS 221

# Mistral M135




Storage Capacity	
330ml Bottles	306
Operating Temperature	
Internal Operating Temperature	(°C)+4(+/-2)
Ambient Temperature	+10 to +32
Shipping Specifications	
Weight (kg) (Net)	114
Weight (kg) (Gross)	125
Packing Size (mm) (h x w x d)	1070 x 1420 x 580
Packing Volume (m³)	0.88
Electrical Information	
Voltage (Volts)	230 220 115
Frequency (Hz)	50 60 60
Phase	single
Current Draw (Amps)	4.75
Maximum Dimensions	
Height (mm)	763
Width (mm)	1286
Depth (mm)	381

	Part No.	Description	Wine Shelf	220V - 1 Phase - 60Hz	115V - 1 Phase - 60Hz
M135 Glass Door	F77/300BS	M135 - Black Paint Finish	VS 439	VS 445	VS 444
	F77/300SLS	M135 - Silver Paint Finish	VS 439	VS 445	VS 444
	F77/300SS	M135 - Stainless Steel	VS 439	VS 445	VS 444
M135 Glass Door - EU Plug	F77/300BS EU	M135 - Black Paint Finish	VS 439	VS 445	VS 444
	F77/300SLS EU	M135 - Silver Paint Finish	VS 439	VS 445	VS 444
	F77/300SS EU	M135 - Stainless Steel	VS 439	VS 445	VS 444
M135 Solid Door	F77/302BS	M135 - Black Paint Finish	VS 439	VS 445	VS 444
	F77/302SLS	M135 - Silver Paint Finish	VS 439	VS 445	VS 444
	F77/302SS	M135 - Stainless Steel	VS 439	VS 445	VS 444
M135 Solid Door - EU Plug	F77/302BS EU	M135 - Black Paint Finish	VS 439	VS 445	VS 444
	F77/302SLS EU	M135 - Silver Paint Finish	VS 439	VS 445	VS 444
	F77/302SS EU	M135 - Stainless Steel	VS 439	VS 445	VS 444



# Mistral TC60



Storage Capacity	
330ml Bottles	272
Operating Temperature	
Internal Operating Temperature	(°C)+4(+/-2)
Ambient Temperature	+10 to +32
Shipping Specifications	
Weight (kg) (Net)	87
Weight (kg) (Gross)	98
Packing Size (mm) (h x w x d)	2000 x 660 x 580
Packing Volume (m <sup>3</sup> )	0.77
Electrical Information	
Voltage (Volts)	230 220
Frequency (Hz)	50 60
Phase	single
Current Draw (Amps)	5.24
Maximum Dimensions	
Height (mm)	1475
Width (mm)	525
Depth (mm)	390

	Part No.	Description	Wine Shelf	220V - 1 Phase - 60Hz
TC60 Glass Door	F77/510BS	TC60 - Black Paint Finish	VS437	VS 398
	F77/510SLS	TC60 - Silver Paint Finish	VS437	VS 398
	F77/510SS	TC60 - Stainless Steel	VS437	VS 398
TC60 Glass Door - EU Plug	F77/510BS EU	TC60 - Black Paint Finish	VS437	VS 398
	F77/510SLS EU	TC60 - Silver Paint Finish	VS437	VS 398
	F77/510SS EU	TC60 - Stainless Steel	VS437	VS 398