



F76/152/B - IMC Ventus
V60 Bottle Cooler [Front
Load] - Glass Door - Black
Painted Frame - H 800
mm - W 600 mm - R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V60 can be tailored to suit any bar environment.

- ✓ Reduced 800mm height
- ✓ Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- ✓ Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- ✓ Sleek stainless steel interior and LED lighting to enhance display
- ✓ Elegant, flexible storage for up to 78 bottles
- ✓ Single double-glazed lockable door for enhanced security
- ✓ Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- ✓ UK 3 pin plug allows users to simply plug in and switch on
- ✓ Electronic temperature control keeps drinks at the perfect serving temperature

Specifications

Summary

Brand	IMC
Range	Ventus
Power Type	Electric
Unit Type	Free-standing
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105197355

Power and Performance

Total Power kW	0.393
Temperature Range °C	2-6
IP Rating	IPX1
Temperature Control	Electronic

Key Specifications

Door Hinge	Right
Door Location	Front
Lockable Door	Yes
Colour	Black Painted
Number of Doors	1
Reversible Door	Yes
Door Type	Standard frame, glass
Number of Shelves included	2
Number of Shelf Positions	29
Refrigerant Type	R290
Type of Lighting	LED

Capacity

Capacity Bottles	78
Capacity Litres	108

Weights and Dimensions

Unit Height (External) mm	800
Unit Width (External) mm	600
Unit Depth (External) mm	500
Height (Internal) mm	655
Width (Internal) mm	526
Depth (Internal) mm	377
Shelf Dimensions Width mm	510
Shelf Dimensions Depth mm	373
Net Weight Kg	60

Supply Connections

Requires Installation	No
Requires Electrical Supply	Yes
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Electrical Supply Rating Watts	393
Single Phase Amps	1.64
Single Phase Voltage	240

Shipping

Packed Weight Kg	66
Packed Height cm	106
Packed Width cm	67
Packed Depth cm	58

Available Options

Door Type

VS414	VS414 - Change to Solid Door
VS493	VS493 - Change to Fixing Point Glass Door
VS509	VS509 - Change to Left Hinged Glass Door
VS652	VS652 - Change to Left Hinged Solid Door
VS653	VS653 - Change to L/H Fixing Point Solid Door
VS657	VS657 - Change to Fixing Point Solid Door
VS683	VS683 - Change to L/H Fixing Point Glass Door

Wood Cladding

VS404	VS404 - Wood Cladding Kit - Add to F-Point Door
--------------	---

Handle Type

VS446HOR	VS446HOR - Short Horizontal Handle
VS446VER	VS446VER - Short Vertical Handle
VS447HOR	VS447HOR - Long Horizontal Handle
VS447VER	VS447VER - Long Vertical Handle

Lighting

VS852	VS852 - Change to Red LED Lights
VS853	VS853 - Change to Green LED Lights
VS854	VS854 - Change to Blue LED Lights

Shelving Type

VS359	VS359 - Change to Wine Shelving
VS399	VS399 - Change to Perforated Shelving

EU Plug

VS401	VS401 - Change to EU Plug
--------------	---------------------------

De-Gassed

VS1017	VS1017 - De-Gassed for Air Freight
---------------	------------------------------------

Available Accessories

A12/091/Z1	Wire Shelf - Chrome - for M60 Bottle Cooler
A12/100	Wine Shelf - Chrome - for M60 Bottle Cooler
S76/048	Perforated Shelf - for V60 - 500D



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm