



F76/252/B - IMC Ventus V90 Bottle Cooler [Front Load] - Glass Door - Black Painted Frame - H 800 mm - W 900 mm - R290 Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V90 can be tailored to suit any bar environment.

- Reduced 800mm height
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 117 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature

- Energy efficient EcoSmart controller at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Twin double-glazed lockable doors for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on

## **Specifications**

Summary		Power and Performance	
Brand Range Power Type Unit Type Available in UK Only UK Warranty Export Warranty GTIN	IMC Ventus Electric Free-standing No 2 Years Parts and Labour Warranty Contact your local dealer 5056105197638	Total Power kW Temperature Range °C IP Rating Temperature Control	0.410 2-6 IPX1 Electronic
Key Specifications		Capacity	
Door Hinge Door Location Lockable Door Colour Number of Doors Door Type Number of Shelves included Number of Shelf Positions Refrigerant Type Type of Lighting	Left; Right Front Yes Black Painted 2 Standard frame, glass 2 29 R290 LED	Capacity Bottles Capacity Litres	117 170
Weights and Dimensions		Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Height (Internal) mm Width (Internal) mm Depth (Internal) mm Shelf Dimensions Width mm Shelf Dimensions Depth mm Net Weight Kg	800 900 500 655 826 377 810 373 0	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Single Phase Amps Single Phase Voltage	No Yes No 410 1.71 240

# **i**mc

# Ventus

# Shipping

Packed Weight Kg	82
Packed Height cm	100
Packed Width cm	96
Packed Depth cm	58

Available Options			
Door Type			
VS1004	VS1004 - Change to Fixing Point Solid Door		
VS425	VS425 - Change to Solid Door		
VS496	VS496 - Change to Fixing Point Glass Door		
Wood Cladding			
VS405	VS405 - Wood Cladding Kit - Add to F-Point Door		
Handle Type			
VS446HOR	VS446HOR - Short Horizontal Handle		
VS446VER	VS446VER - Short Vertical Handle		
VS447HOR	VS447HOR - Long Horizontal Handle		
VS447VER	VS447VER - Long Vertical Handle		
Lighting			
VS855	VS855 - Change to Red LED Lights		
VS856	VS856 - Change to Green LED Lights		
VS857	VS857 - Change to Blue LED Lights		
Shelving Type			
VS360	VS360 - Change to Wine Shelving		
VS400	VS400 - Change to Perforated Shelving		
EU Plug			
VS401	VS401 - Change to EU Plug		
De-Gassed			
VS1017	VS1017 - De-Gassed for Air Freight		
Available Accessori	es		
A12/092/Z1	Wire Shelf - Chrome - for M90 Bottle Cooler		
A12/101	Wine Shelf - Chrome - for M90 Bottle Cooler		
S76/047	Perforated Shelf - for V90 - 500D		



# Lincat frifri

### Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



## Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

### **Export Customers**

Tel: +44 1522 875536

Email: export@lincat.co.uk

### **Opening Hours**

Monday – Friday: 8.30am – 5pm