



F76/253/B - IMC Ventus
V90 Bottle Cooler [Front
Load] - Glass Door - Black
Painted Frame - H 900
mm - W 900 mm - D 450
mm - R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V90 can be tailored to suit any bar environment.

- ✓ Reduced 450mm depth
- ✓ Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- ✓ Elegant, flexible storage for up to 156 bottles
- ✓ Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- ✓ Electronic temperature control keeps drinks at the perfect serving temperature
- ✓ Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- ✓ Sleek stainless steel interior and LED lighting to enhance display
- ✓ Twin double-glazed lockable doors for enhanced security
- ✓ UK 3 pin plug allows users to simply plug in and switch on

Specifications

Summary

Brand	IMC
Range	Ventus
Power Type	Electric
Unit Type	Free-standing
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105197652

Power and Performance

Total Power kW	0.410
Temperature Range °C	2-6
IP Rating	IPX1
Temperature Control	Electronic

Key Specifications

Door Hinge	Left; Right
Door Location	Front
Lockable Door	Yes
Colour	Black Painted
Number of Doors	2
Door Type	Standard frame, glass
Number of Shelves included	2
Number of Shelf Positions	29
Refrigerant Type	R290
Type of Lighting	LED

Capacity

Capacity Bottles	156
Capacity Litres	204

Weights and Dimensions

Unit Height (External) mm	900
Unit Width (External) mm	900
Unit Depth (External) mm	450
Height (Internal) mm	755
Width (Internal) mm	826
Depth (Internal) mm	327
Shelf Dimensions Width mm	810
Shelf Dimensions Depth mm	323
Net Weight Kg	0

Supply Connections

Requires Installation	No
Requires Electrical Supply	Yes
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Electrical Supply Rating Watts	410
Single Phase Amps	1.71
Single Phase Voltage	240

Shipping

Packed Weight Kg	0
Packed Height cm	0
Packed Width cm	0
Packed Depth cm	0

Available Options

Door Type

VS419	VS419 - Change to Solid Door
VS469	VS469 - Change to Frameless Glass Door
VS489	VS489 - Change to Fixing Point Solid Door
VS494	VS494 - Change to Fixing Point Glass Door

Wood Cladding

VS405	VS405 - Wood Cladding Kit - Add to F-Point Door
--------------	---

Handle Type

VS446HOR	VS446HOR - Short Horizontal Handle
VS446VER	VS446VER - Short Vertical Handle
VS447HOR	VS447HOR - Long Horizontal Handle
VS447VER	VS447VER - Long Vertical Handle

Lighting

VS855	VS855 - Change to Red LED Lights
VS856	VS856 - Change to Green LED Lights
VS857	VS857 - Change to Blue LED Lights

Shelving Type

VS403	VS403 - Change to Perforated Shelving
--------------	---------------------------------------

EU Plug

VS401	VS401 - Change to EU Plug
--------------	---------------------------

De-Gassed

VS1017	VS1017 - De-Gassed for Air Freight
---------------	------------------------------------

Available Accessories

A12/097	NULL
S76/124	Perforated Shelf - for V90 - 450D



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm