



F76/272/B - IMC Ventus V90 Bottle Cooler [Front Load] - Full Front Glass Door - Black Painted Frame - H 800 mm - W 900 mm - R290

- Full front door for seamless integration
- Reduced 800mm height
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 117 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V90 can be tailored to suit any bar environment.

- Electronic temperature control keeps drinks at the perfect serving temperature
- Energy efficient EcoSmart controller at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Ouble glazed doors for enhanced insulation
- UK 3 pin plug allows users to simply plug in and switch on

Specifications

Summary		Power and Performance	
Brand	IMC	Total Power kW	0.393
Range	Ventus	Temperature Range °C	2-6
Power Type	Electric	IP Rating	IPX1
Unit Type	Free-standing	Temperature Control	Electronic
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105197713		
Key Specifications		Capacity	
Door Hinge	Left; Right	Capacity Bottles	117
Door Location	Front	Capacity Litres	170
Lockable Door	Yes		
Colour	Black Painted		
Number of Doors	2		
Door Type	Full front, glass		
Number of Shelves included	2		
Number of Shelf Positions	29		
Refrigerant Type	R290		
Type of Lighting	LED		





Weights and Dimensions

Unit Height (External) mm	800
Unit Width (External) mm	900
Unit Depth (External) mm	500
Height (Internal) mm	655
Width (Internal) mm	826
Depth (Internal) mm	377
Shelf Dimensions Width mm	810
Shelf Dimensions Depth mm	373
Net Weight Kg	0

Shipping

Packed Weight Kg	81
Packed Height cm	105
Packed Width cm	95
Packed Depth cm	56

Supply Connections

Requires Installation	No
Requires Electrical Supply	Yes
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Electrical Supply Rating Watts	393
Single Phase Amps	1.64
Single Phase Voltage	240

Available Options	
Door Type	
VS1031	VS1031 - Change to Full Front Cladded Doors
VS746	VS746 - Change to Solid Door
Lighting	
VS855	VS855 - Change to Red LED Lights
VS856	VS856 - Change to Green LED Lights
VS857	VS857 - Change to Blue LED Lights
Shelving Type	
VS360	VS360 - Change to Wine Shelving
VS400	VS400 - Change to Perforated Shelving
EU Plug	
VS401	VS401 - Change to EU Plug
De-Gassed	
VS1017	VS1017 - De-Gassed for Air Freight
Available Accessori	es

A12/092/Z1	Wire Shelf - Chrome - for M90 Bottle Cooler
A12/101	Wine Shelf - Chrome - for M90 Bottle Cooler
S76/047	Perforated Shelf - for V90 - 500D



Lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm