



F76/350 - IMC Ventus
V135 Bottle Cooler [Front
Load] - Glass Door -
Stainless Steel Frame - H
900 mm - W 1350 mm -
R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V135 can be tailored to suit any bar environment.

- ✓ Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- ✓ Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- ✓ Elegant, flexible storage for up to 310 bottles
- ✓ Sleek stainless steel interior and LED lighting to enhance display
- ✓ Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- ✓ Three double-glazed lockable doors for enhanced security
- ✓ Electronic temperature control keeps drinks at the perfect serving temperature
- ✓ UK 3 pin plug allows users to simply plug in and switch on

Specifications

Summary

Brand	IMC
Range	Ventus
Power Type	Electric
Unit Type	Free-standing
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105197805

Power and Performance

Total Power kW	0.664
Temperature Range °C	2-6
IP Rating	IPX1
Temperature Control	Electronic

Key Specifications

Door Hinge	Left; Right; Right
Door Location	Front
Lockable Door	Yes
Colour	Stainless Steel
Number of Doors	3
Door Type	Standard frame, glass
Number of Shelves included	2
Number of Shelf Positions	29
Refrigerant Type	R290
Type of Lighting	LED

Capacity

Capacity Bottles	310
Capacity Litres	329

Weights and Dimensions

Unit Height (External) mm	900
Unit Width (External) mm	1350
Unit Depth (External) mm	500
Height (Internal) mm	755
Width (Internal) mm	1,276
Depth (Internal) mm	377
Shelf Dimensions Width mm	1,266
Shelf Dimensions Depth mm	373
Net Weight Kg	0

Supply Connections

Requires Installation	No
Requires Electrical Supply	Yes
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Electrical Supply Rating Watts	664
Single Phase Amps	2.77
Single Phase Voltage	240

Shipping

Packed Weight Kg	133
Packed Height cm	109
Packed Width cm	142
Packed Depth cm	58

Available Options

Door Type

VS537	VS537 - Change to Solid Door
VS579	VS579 - Change to Frameless Glass Door
VS581	VS581 - Change to Fixing Point Glass Door
VS910	VS910 - Change to Fixing Point Solid Door

Wood Cladding

VS582	VS582 - Wood Cladding Kit - Add to F-Point Door
--------------	---

Handle Type

VS446HOR	VS446HOR - Short Horizontal Handle
VS446VER	VS446VER - Short Vertical Handle
VS447VER	VS447VER - Long Vertical Handle

Lighting

VS858	VS858 - Change to Red LED Lights
VS859	VS859 - Change to Green LED Lights
VS860	VS860 - Change to Blue LED Lights

Shelving Type

VS439	VS439 - Change to Wine Shelving
VS587	VS587 - Change to Perforated Shelving

EU Plug

VS401	VS401 - Change to EU Plug
--------------	---------------------------

De-Gassed

VS1017	VS1017 - De-Gassed for Air Freight
---------------	------------------------------------

Available Accessories

A12/099	Wire Shelf - Chrome - for M135 Bottle Cooler
A12/102	Wine Shelf - Chrome - for M135 Bottle Cooler
S76/153	Perforated Shelf - for V135 - 500D



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm